


Google fonts

Now you can use native **Custom fonts option** of Ghost.

The theme offers the flexibility to incorporate Google Fonts or other font libraries. You can choose to set two different fonts for titles and body text or use the same font for both throughout your site.

Obtain the embed code

1. Visit fonts.google.com & and choose your preferred font.
2. Click the "**Get embed code**" button to obtain the embed code for the selected font.



The screenshot shows the Google Fonts interface for the 'Playfair Display' variable font. On the left, the font preview shows the text 'Whereas recognition of th' in a serif font. Below the preview, there are settings for 'Weight' (400 - 900) and 'Italic' (0 - 1), each with a 'Full axis' button and a 'One value' button. A 'Reset all' button is also present. On the right, the 'Web' tab is selected, showing the 'Embed code in the <head> of your html' section. This section contains a code block with the following HTML code:

```
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,400..900;1,400..900&display=swap" rel="stylesheet">
```

Below this, there is a section for 'Playfair Display: CSS class for a variable style' with a code block containing the following CSS code:

```
// <uniquifier>: Use a unique and descriptive class name
// <weight>: Use a value from 400 to 900

.playfair-display-<uniquifier> {
  font-family: "Playfair Display", serif;
  font-optical-sizing: auto;
  font-weight: <weight>;
  font-style: normal;
}
```

Both code blocks have a 'Copy code' button next to them.

Configure the font with Ghost

To configure the font:

1. Navigate to '**Code injections**' settings in the Ghost Admin.
2. Locate the "**Site header**" tab on the left-hand side of the interface.

3. Copy and paste the "**Embed code in the <head> of your html**" code from Google fonts.
4. Copy and paste the following code underneath the embed code.
5. Change the "**Font Name Here**" value accordingly with "**CSS class for a variable style**" from Google fonts.

```
<style>
:root{
  --body-font:"Font Name Here", sans-serif;
}
</style>
```



Optional: Set a different Title font

Alternatively, you can specify a distinct font for titles and another for remaining text.

1. Select your preferred font on Google fonts.
2. Copy and paste the new "**Embed code in the <head> of your html**" code from Google fonts in to the "**Site header**" section in Ghost.

Important: When selecting multiple fonts, Google Fonts regenerates the embed code for the header. Ensure that you copy and paste the latest version of the embed code.

3. Add the `--title-font` variable along with your new title font name as follows.

```
<style>
:root{
  --body-font:"Font Name Here", sans-serif;
  --title-font: "Font Name Here", serif;
}
```

</style>

Code injection

Close

Save

Site header Site footer

```
1 <link rel="preconnect" href="https://fonts.googleapis.com">
2 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
3 <link href="https://fonts.googleapis.com/css2?family=Open+Sans:ital,wght@0,300..800;1,300..800&family=Playfair
4
5
6 <style>
7   :root{
8     --body-font: "Open Sans", sans-serif;
9     --title-font: "Playfair Display", serif;
10  }
11 </style>
```

Code here will be injected into the {{ghost_head}} tag on every page of the site

Revision #6
Created 18 March 2024 08:04:24 by GhostCave
Updated 3 February 2025 07:27:36 by GhostCave